





Desenvolvimento Médio dos Ventos Extremos/Mean Development of Extreme Winds (N_M)

A365-Canto do Buriti/81847 (WRDS)





Fator de Rajada Gust Factor	Razões de Pico Peak Ratios	Δ Temp. & Press.	Temporada Predominante Predominant Season
$G_V = 3.9$	$R_{G,-6} = 2.9$ $R_{V,-6} = 2.1$	$T_{med,3} = 29.9$ °C	[9,10,11] meses/months
Direção do Vento Wind Direction	$R_{G,-3} = 2.8$ $R_{V,-3} = 2.1$	$\Delta T_{min,3} = -5.0$ °C	Horários Predominantes Predominant Hours
DIR = E (35%)	$R_{G,+3} = 3.2$ $R_{V,+3} = 2.0$	$\Delta P_{max,3} = 1.2$ hPa	[14,15,16] UTC
	$R_{G,+6} = 3.6$ $R_{V,+6} = 2.0$		



Desenvolvimento Médio dos Ventos Não-Sinóticos/Mean Development of Non-Synoptic Winds (N_N)

A365-Canto do Buriti/81847 (WRDS)

Fator de Rajada Gust Factor	Razões de Pico Peak Ratios	Δ Temp. & Press.	Temporada Predominante Predominant Season
$G_V = 4.0$	$R_{G,-6} = 3.5$ $R_{V,-6} = 2.7$	$T_{med,3} = 28.8 \text{ }^\circ\text{C}$	[12,1,2] meses/months
Direção do Vento Wind Direction	$R_{G,-3} = 3.7$ $R_{V,-3} = 2.8$	$\Delta T_{min,3} = -7.5 \text{ }^\circ\text{C}$	Horários Predominantes Predominant Hours
DIR = W (25%)	$R_{G,+3} = 3.6$ $R_{V,+3} = 2.4$	$\Delta P_{max,3} = 2.0 \text{ hPa}$	[23,0,1] UTC
	$R_{G,+6} = 4.1$ $R_{V,+6} = 2.5$		



Desenvolvimento Médio dos Ventos Sinóticos/Mean Development of Synoptic Winds (N_s) A365-Canto do Buriti/81847 (WRDS)

Fator de Rajada Gust Factor	Razões de Pico Peak Ratios	Δ Temp. & Press.	Temporada Predominante Predominant Season
$G_V = 3.4$	$R_{G,-6} = 1.7$ $R_{V,-6} = 1.1$	$T_{med,3} = 31.7\text{ °C}$	[9,10,11] meses/months
Direção do Vento Wind Direction	$R_{G,-3} = 1.7$ $R_{V,-3} = 1.0$	$\Delta T_{min,3} = -2.4\text{ °C}$	Horários Predominantes Predominant Hours
DIR = E (40%)	$R_{G,+3} = 1.8$ $R_{V,+3} = 1.3$	$\Delta P_{max,3} = 0.4\text{ hPa}$	[17,18,19] UTC
	$R_{G,+6} = 2.1$ $R_{V,+6} = 1.4$		

