





Desenvolvimento Médio dos Ventos Extremos/Mean Development of Extreme Winds (N_M)

A366-Ouricuri/81910 (WRDS)





Fator de Rajada Gust Factor	Razões de Pico Peak Ratios	Δ Temp. & Press.	Temporada Predominante Predominant Season
$G_V = 3.0$	$R_{G,-6} = 2.8$ $R_{V,-6} = 2.3$	$T_{med,3} = 31.3$ °C	[12,1,2] meses/months
Direção do Vento Wind Direction	$R_{G,-3} = 2.8$ $R_{V,-3} = 2.3$	$\Delta T_{min,3} = -8.0$ °C	Horários Predominantes Predominant Hours
DIR = E (40%)	$R_{G,+3} = 2.5$ $R_{V,+3} = 2.6$	$\Delta P_{max,3} = 1.7$ hPa	[17,18,19] UTC
	$R_{G,+6} = 2.9$ $R_{V,+6} = 2.8$		



Desenvolvimento Médio dos Ventos Não-Sinóticos/Mean Development of Non-Synoptic Winds (N_N)

A366-Ouricuri/81910 (WRDS)

Fator de Rajada Gust Factor	Razões de Pico Peak Ratios	Δ Temp. & Press.	Temporada Predominante Predominant Season
$G_V = 3.0$	$R_{G,-6} = 2.8$ $R_{V,-6} = 2.7$	$T_{med,3} = 31.9 \text{ }^\circ\text{C}$	[12,1,2] meses/months
Direção do Vento Wind Direction	$R_{G,-3} = 2.7$ $R_{V,-3} = 2.6$	$\Delta T_{min,3} = -10.6 \text{ }^\circ\text{C}$	Horários Predominantes Predominant Hours
DIR = N (25%)	$R_{G,+3} = 2.8$ $R_{V,+3} = 3.4$	$\Delta P_{max,3} = 2.3 \text{ hPa}$	[20,21,22] UTC
	$R_{G,+6} = 3.2$ $R_{V,+6} = 3.5$		



Desenvolvimento Médio dos Ventos Sinóticos/Mean Development of Synoptic Winds (N_3)

A366-Ouricuri/81910 (WRDS)

Fator de Rajada Gust Factor	Razões de Pico Peak Ratios	Δ Temp. & Press.	Temporada Predominante Predominant Season
$G_V = 3.3$	$R_{G,-6} = 2.1$ $R_{V,-6} = 1.3$	$T_{med,3} = 29.4$ °C	[9,10,11] meses/months
Direção do Vento Wind Direction	$R_{G,-3} = 1.9$ $R_{V,-3} = 1.2$	$\Delta T_{min,3} = -2.2$ °C	Horários Predominantes Predominant Hours
DIR = SE (70%)	$R_{G,+3} = 1.9$ $R_{V,+3} = 1.3$	$\Delta P_{max,3} = 0.5$ hPa	[17,18,19] UTC
	$R_{G,+6} = 2.1$ $R_{V,+6} = 1.4$		

